

Version 0.0 Revision Date: 06/26/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Vanishing Oil 100

Product Use Descrip- : Solvent.

tion

Manufacturer or supplier's details

Company : Nexeo Solutions LLC

Address 3 Waterway Square Place Suite 1000

Woodlands, Tx. 77380 United States of America

Emergency telephone number:

Health North America: 1-855-NEXEO4U (1-855-639-3648) Health International: 1-855-NEXEO4U (1-855-639-3648) Transport North America: CHEMTREC 800.424.9300

Additional Infor-

mation:

: Responsible Party: Product Safety Group E-Mail: msds@nexeosolutions.com

SDS Requests: 1-855-429-2661 SDS Requests Fax: 1-281-500-2370 Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Skin irritation : Category 2

Eye irritation : Category 2A

Specific target organ tox-

icity - single exposure

: Category 3 (Central nervous system)

Aspiration hazard : Category 1

GHS Label element

Hazard pictograms :





Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.



Version 0.0 Revision Date: 06/26/2015

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.



Version 0.0 Revision Date: 06/26/2015

Potential Health Effects

Carcinogenicity:

IARC No component of this product present at levels greater

than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

OSHANo component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

NTP No component of this product present at levels greater

than or equal to 0.1% is identified as a known or antici-

pated carcinogen by NTP.

Emergency Overview

Appearance	liquid
Colour	clear, colourless
Odour	hydrocarbon-like
Hazard Summary	No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
64741-65-	Naphtha (petroleum), heavy alkylate	90 - 100
7/64742-48-9	AND/OR Naphtha (petroleum), hydrotreat-	
	ed heavy	

Synonyms: Odorless Mineral Spirits/Odorless Paint Thinner,

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attend-

MSDS Number: 100000005071 3 / 16 Vanishing Oil 100



Version 0.0 Revision Date: 06/26/2015

ance.

Symptoms of poisoning may appear several hours

later.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious place in recovery position and seek

medical advice.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious per-

son.

If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains

or water courses.

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Unburned hydrocarbons

Specific extinguishing

methods

: Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water sepa-

rately. This must not be discharged into drains.



Version 0.0 Revision Date: 06/26/2015

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regu-

lations.

For safety reasons in case of fire, cans should be

stored separately in closed containments.

Special protective equipment for firefighters

: Wear self-contained breathing apparatus for fire-

fighting if necessary.

NFPA Flammable and Combustible Liquids Classification:

Combustible Liquid Class II

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains

inform respective authorities.

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regula-

tions (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before

use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in

the application area.

Take precautionary measures against static discharg-

es.

Provide sufficient air exchange and/or exhaust in work

rooms.

Open drum carefully as content may be under pres-

MSDS Number: 100000005071 5 / 16 Vanishing Oil 100



Version 0.0 Revision Date: 06/26/2015

sure.

Dispose of rinse water in accordance with local and

national regulations.

Conditions for safe stor-

age

: No smoking.

Keep container tightly closed in a dry and well-

ventilated place.

Containers which are opened must be carefully re-

sealed and kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must com-

ply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64741-65- 7/64742- 48-9	Naphtha (petroleum), heavy alkylate AND/OR Naphtha (petroleum), hy- drotreated heavy	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

In the case of vapour formation use a respirator with

an approved filter.

Hand protection

Remarks : The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal pro-

cessing problems.

Skin and body protection : impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work

place.

Hygiene measures : When using do not eat or drink.

MSDS Number: 100000005071 6 / 16 Vanishing Oil 100



Version 0.0 Revision Date: 06/26/2015

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear, colourless

Odour : hydrocarbon-like

Odour Threshold : No data available

рΗ : not applicable

Freezing Point (Melting

point/freezing point)

: No data available

Boiling Point (Boiling

point/boiling range)

: 171 - 204 °C (340 - 399 °F)

: 51 °C (124 °F) Flash point

Evaporation rate : 0.1

n-Butyl Acetate

Flammability (solid, gas) : No data available

Burning rate : No data available

Upper explosion limit : 7.0 %(V)

Lower explosion limit : 0.6 %(V)

Vapour pressure : 0.8 mmHg @ 20 °C (68 °F)

Relative vapour density : 5.3(Air = 1.0)

: 0.758 - 0.770 @ 15.6 - 20 °C (60.1 - 68 °F) Relative density

Reference substance: (water = 1)

Density : 0.768 g/cm3 @ 20 °C (68 °F)

Bulk density : No data available

Solubility(ies)

Water solubility : 0.05 g/l negligible



Version 0.0 Revision Date: 06/26/2015

Solubility in other sol-

vents

: No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Thermal decomposition : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of

normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No hazards to be specially mentioned.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: Carbon monoxide, carbon dioxide and unburned hy-

drocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

64741-65-7/64742-48-9:

Acute oral toxicity : LD50 (rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute

oral toxicity

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute

dermal toxicity

MSDS Number: 100000005071 8 / 16 Vanishing Oil 100



Version 0.0 Revision Date: 06/26/2015

Skin corrosion/irritation

Product:

Result: Irritating to skin.

Components:

64741-65-7/64742-48-9:

Species: rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation

Product:

Result: Irritating to eyes.

Components:

64741-65-7/64742-48-9:

Species: rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Components:

64741-65-7/64742-48-9:

Test Type: Buehler Test Species: quinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

64741-65-7/64742-48-9:

Germ cell mutagenicity : Mutagenicity classification not possible from current

Assessment data

Carcinogenicity

Components:

64741-65-7/64742-48-9:

Carcinogenicity - As- : Not classifiable as a human carcinogen.

sessment



Version 0.0 Revision Date: 06/26/2015

Reproductive toxicity

Components:

64741-65-7/64742-48-9:

Reproductive toxicity -

Assessment

: Fertility classification not possible from current data. Embryotoxicity classification not possible from current

data.

STOT - single exposure Product: No data available

Components:

64741-65-7/64742-48-9:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

STOT - repeated exposure

Product: No data available

Components:

64741-65-7/64742-48-9: No data available

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:

64741-65-7/64742-48-9:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.



Version 0.0 Revision Date: 06/26/2015

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

64741-65-7/64742-48-9:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l

> Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

Toxicity to daphnia and

other aquatic inverte-

brates

: EL50 (Daphnia magna (Water flea)): 4.5 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)):

3.1 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

64741-65-7/64742-48-9:

Biodegradability : aerobic

> Concentration: 49.2 mg/l Exposure time: 28 d

Method: OECD Test Guideline 301F Remarks: Readily biodegradable

Bioaccumulative potential

Components:

64741-65-7/64742-48-9:

Partition coefficient: n- : log Pow: 3.3 - 5.3

octanol/water

Mobility in soil

No data available

MSDS Number: 10000005071 11 / 16 Vanishing Oil 100



Version 0.0 Revision Date: 06/26/2015

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection

of Stratospheric Ozone - CAA Section 602 Class I Sub-

stances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological in-

formation

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to

aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local,

state and federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group

at 800-637-7922.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.
Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty

drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, Flash Point:51 °C(124 °F)

IMDG (International Maritime Dangerous Goods): UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, Marine Pollutant (NAPHTHA (PETROLEUM), HEAVY ALKYLATE)

DOT (Department of Transportation): UN1268, PETROLEUM DISTILLATES, N.O.S., CBL, III

Special Notes: : The flash point for this material is greater than 100 F



Version 0.0 Revision Date: 06/26/2015

(38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

SECTION 15. REGULATORY INFORMATION

OSHA Hazards : Combustible Liquid, Moderate skin irritant, Moderate

eye irritant, Specific target organ toxicity - single

exposure, Aspiration hazard

WHMIS Classification : B3: Combustible Liquid

D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 : Fire Hazard

Hazards Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject

to the reporting requirements of SARA Title III,

Section 302.

SARA 313 : SARA 313: This material does not contain any chemi-

cal components with known CAS numbers that exceed the threshold (De Minimis) reporting levels estab-

lished by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

MSDS Number: 100000005071 13 / 16 Vanishing Oil 100



Version 0.0 Revision Date: 06/26/2015

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

64741-65- Naphtha (petroleum), heavy alkylate 90 - 100 %

7/64742-48-9 AND/OR Naphtha (petroleum),

hydrotreated heavy

New Jersey Right To Know

64741-65- Naphtha (petroleum), heavy alkylate 90 - 100 %

7/64742-48-9 AND/OR Naphtha (petroleum),

hydrotreated heavy

California Prop 65 This product does not contain any chemicals known to

State of California to cause cancer, birth defects, or

any other reproductive harm.

The components of this product are reported in the following inventories:

The components of this product are reported in the re-		
United States TSCA Inventory	:	y (positive listing) (On TSCA Invento- ry)
Canadian Domestic Substances List (DSL)	:	y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	•	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	n (Negative listing) (Not in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	n (Negative listing) (Not in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)

MSDS Number: 100000005071 14 / 16 Vanishing Oil 100




Version 0.0 Revision Date: 06/26/2015

Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)

SECTION 16. OTHER INFORMATIONFurther information

NFPA:



Special hazard.

HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legecy MSDS: R0000594

Material number:

16083457, 20097, 86531, 16061589, 16065737, 16056559, 16056561, 16056560, 16061791, 547042, 635873, 783249, 501966, 20095, 691875, 86039, 554063, 775827, 16026811, 16009323, 70181, 53278, 87264, 20101, 16007246, 86619, 86036, 784578, 153243, 54503, 592411, 16036243, 576376, 508208, 102992, 69665, 20096, 623658, 16036544, 86610, 506279, 16030187, 594059, 554318, 554250, 554249, 554202, 554127, 554092, 554083, 504043, 16010280, 20094, 69661, 70153, 86042, 508612, 102943, 102915, 103650, 70235, 53849, 102910,

MSDS Number: 100000005071 15 / 16 Vanishing Oil 100



Version 0.0 Revision Date: 06/26/2015

54506, 508209

Key or le	gend to abbreviations and ac	ronyms use	d in the safety data sheet	
ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%	
	ernment Industrial Hygienists			
AICS	Australia, Inventory of Chem-	LOAEL	Lowest Observed Adverse Effect	
	ical Substances		Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Sub- stances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philipines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act	
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Compositon, Complex Reaction Products, and Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System	
LC50	LC50 Lethal Concentration 50%			

MSDS Number: 100000005071 16 / 16 Vanishing Oil 100